


June 10, 2011

Ashis Roychowdhury  
Eagle Environmental, Inc.  
531 North Main Street  
Bristol, CT 06010

Project Location: Town of Bolton High School  
Client Job Number:  
Project Number: 11-082.10  
Laboratory Work Order Number: 11F0089

Enclosed are results of analyses for samples received by the laboratory on June 3, 2011. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, reading "Holly L. Folsom". The signature is written in a cursive, flowing style.

Holly L. Folsom  
Project Manager

Eagle Environmental, Inc.  
531 North Main Street  
Bristol, CT 06010  
ATTN: Ashis Roychowdhury

REPORT DATE: 6/10/2011

PURCHASE ORDER NUMBER:

PROJECT NUMBER: 11-082.10

**ANALYTICAL SUMMARY**

WORK ORDER NUMBER: 11F0089

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Town of Bolton High School

| FIELD SAMPLE # | LAB ID:    | MATRIX | SAMPLE DESCRIPTION            | TEST                       | SUB LAB |
|----------------|------------|--------|-------------------------------|----------------------------|---------|
| 6-3-JW-01      | 11F0089-01 | Air    | In the Gymnasium              | TO-10A/EPA 680<br>Modified |         |
| 6-3-JW-02      | 11F0089-02 | Air    | Hallway Outside the Gymnasium | TO-10A/EPA 680<br>Modified |         |
| 6-3-JW-03      | 11F0089-03 | Air    | In the Former Library         | TO-10A/EPA 680<br>Modified |         |
| 6-3-JW-04      | 11F0089-04 | Air    | Blank                         | TO-10A/EPA 680<br>Modified |         |

## CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

### TO-10A/EPA 680 Modified

#### Qualifications:

---

Surrogate recovery is outside of control limits. Sample media does not allow for re-extraction.

#### Analyte & Samples(s) Qualified:


##### Tetrachloro-m-xylene

11F0089-01[6-3-JW-01], B031616-BLK1

---

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Michael A. Erickson  
Laboratory Director

# ANALYTICAL RESULTS

Project Location: Town of Bolton High School

Date Received: 6/3/2011

Field Sample #: 6-3-JW-01

Sample ID: 11F0089-01

Sample Matrix: Air

Sampled: 6/3/2011 14:41

Sample Description/Location: In the Gymnasium

Sub Description/Location:

Work Order: 11F0089

Flow Controller ID:

Sample Type:

Air Volume L: 2420

## TO-10A/EPA 680 Modified

| Analyte                         | Total µg   |         | Flag | ug/m3        |         | Dilution | Date/Time     |     | Analyst |
|---------------------------------|------------|---------|------|--------------|---------|----------|---------------|-----|---------|
|                                 | Results    | RL      |      | Results      | RL      |          | Analyzed      |     |         |
| Monochlorobiphenyls             | ND         | 0.00080 |      | ND           | 0.00033 | 1        | 6/10/11 12:39 | CJM |         |
| Dichlorobiphenyls               | 0.040      | 0.00080 |      | 0.017        | 0.00033 | 1        | 6/10/11 12:39 | CJM |         |
| Trichlorobiphenyls              | 0.067      | 0.00080 |      | 0.028        | 0.00033 | 1        | 6/10/11 12:39 | CJM |         |
| Tetrachlorobiphenyls            | 0.029      | 0.0016  |      | 0.012        | 0.00066 | 1        | 6/10/11 12:39 | CJM |         |
| Pentachlorobiphenyls            | 0.0084     | 0.0016  |      | 0.0035       | 0.00066 | 1        | 6/10/11 12:39 | CJM |         |
| Hexachlorobiphenyls             | 0.0024     | 0.0016  |      | 0.00099      | 0.00066 | 1        | 6/10/11 12:39 | CJM |         |
| Heptachlorobiphenyls            | ND         | 0.0024  |      | ND           | 0.00099 | 1        | 6/10/11 12:39 | CJM |         |
| Octachlorobiphenyls             | ND         | 0.0024  |      | ND           | 0.00099 | 1        | 6/10/11 12:39 | CJM |         |
| Nonachlorobiphenyls             | ND         | 0.0040  |      | ND           | 0.0017  | 1        | 6/10/11 12:39 | CJM |         |
| Decachlorobiphenyl              | ND         | 0.0040  |      | ND           | 0.0017  | 1        | 6/10/11 12:39 | CJM |         |
| Total Polychlorinated biphenyls | 0.15       |         |      | 0.061        |         | 1        | 6/10/11 12:39 | CJM |         |
| Surrogates                      | % Recovery |         |      | % REC Limits |         |          |               |     |         |
| Tetrachloro-m-xylene            |            | 42.2*   | S-20 |              | 50-125  |          | 6/10/11 12:39 |     |         |

# ANALYTICAL RESULTS

Project Location: Town of Bolton High School

Date Received: 6/3/2011

Field Sample #: 6-3-JW-02

Sample ID: 11F0089-02

Sample Matrix: Air

Sampled: 6/3/2011 14:44

Sample Description/Location: Hallway Outside the Gymnasium

Sub Description/Location:

Flow Controller ID:

Sample Type:

Air Volume L: 2415

Work Order: 11F0089

## TO-10A/EPA 680 Modified

| Analyte                         | Total µg   |        | Flag | ug/m3        |         | Dilution | Date/Time    |     | Analyst |
|---------------------------------|------------|--------|------|--------------|---------|----------|--------------|-----|---------|
|                                 | Results    | RL     |      | Results      | RL      |          | Analyzed     |     |         |
| Monochlorobiphenyls             | ND         | 0.0020 |      | ND           | 0.00083 | 1        | 6/9/11 16:51 | CJM |         |
| Dichlorobiphenyls               | 0.037      | 0.0020 |      | 0.015        | 0.00083 | 1        | 6/9/11 16:51 | CJM |         |
| Trichlorobiphenyls              | 0.066      | 0.0020 |      | 0.027        | 0.00083 | 1        | 6/9/11 16:51 | CJM |         |
| Tetrachlorobiphenyls            | 0.028      | 0.0040 |      | 0.012        | 0.0017  | 1        | 6/9/11 16:51 | CJM |         |
| Pentachlorobiphenyls            | ND         | 0.0040 |      | ND           | 0.0017  | 1        | 6/9/11 16:51 | CJM |         |
| Hexachlorobiphenyls             | ND         | 0.0040 |      | ND           | 0.0017  | 1        | 6/9/11 16:51 | CJM |         |
| Heptachlorobiphenyls            | ND         | 0.0060 |      | ND           | 0.0025  | 1        | 6/9/11 16:51 | CJM |         |
| Octachlorobiphenyls             | ND         | 0.0060 |      | ND           | 0.0025  | 1        | 6/9/11 16:51 | CJM |         |
| Nonachlorobiphenyls             | ND         | 0.010  |      | ND           | 0.0041  | 1        | 6/9/11 16:51 | CJM |         |
| Decachlorobiphenyl              | ND         | 0.010  |      | ND           | 0.0041  | 1        | 6/9/11 16:51 | CJM |         |
| Total Polychlorinated biphenyls | 0.13       |        |      | 0.054        |         | 1        | 6/9/11 16:51 | CJM |         |
| Surrogates                      | % Recovery |        |      | % REC Limits |         |          |              |     |         |
| Tetrachloro-m-xylene            | 61.0       |        |      | 50-125       |         |          | 6/9/11 16:51 |     |         |

# ANALYTICAL RESULTS

Project Location: Town of Bolton High School

Date Received: 6/3/2011

Field Sample #: 6-3-JW-03

Sample ID: 11F0089-03

Sample Matrix: Air

Sampled: 6/3/2011 14:49

Sample Description/Location: In the Former Library

Sub Description/Location:

Flow Controller ID:

Sample Type:

Air Volume L: 2405

Work Order: 11F0089

## TO-10A/EPA 680 Modified

| Analyte                         | Total µg   |        | Flag | ug/m3        |         | Dilution | Date/Time    |     | Analyst |
|---------------------------------|------------|--------|------|--------------|---------|----------|--------------|-----|---------|
|                                 | Results    | RL     |      | Results      | RL      |          | Analyzed     |     |         |
| Monochlorobiphenyls             | ND         | 0.0020 |      | ND           | 0.00083 | 1        | 6/9/11 17:33 | CJM |         |
| Dichlorobiphenyls               | ND         | 0.0020 |      | ND           | 0.00083 | 1        | 6/9/11 17:33 | CJM |         |
| Trichlorobiphenyls              | 0.019      | 0.0020 |      | 0.0078       | 0.00083 | 1        | 6/9/11 17:33 | CJM |         |
| Tetrachlorobiphenyls            | 0.014      | 0.0040 |      | 0.006        | 0.0017  | 1        | 6/9/11 17:33 | CJM |         |
| Pentachlorobiphenyls            | ND         | 0.0040 |      | ND           | 0.0017  | 1        | 6/9/11 17:33 | CJM |         |
| Hexachlorobiphenyls             | ND         | 0.0040 |      | ND           | 0.0017  | 1        | 6/9/11 17:33 | CJM |         |
| Heptachlorobiphenyls            | ND         | 0.0060 |      | ND           | 0.0025  | 1        | 6/9/11 17:33 | CJM |         |
| Octachlorobiphenyls             | ND         | 0.0060 |      | ND           | 0.0025  | 1        | 6/9/11 17:33 | CJM |         |
| Nonachlorobiphenyls             | ND         | 0.010  |      | ND           | 0.0042  | 1        | 6/9/11 17:33 | CJM |         |
| Decachlorobiphenyl              | ND         | 0.010  |      | ND           | 0.0042  | 1        | 6/9/11 17:33 | CJM |         |
| Total Polychlorinated biphenyls | 0.033      |        |      | 0.014        |         | 1        | 6/9/11 17:33 | CJM |         |
| Surrogates                      | % Recovery |        |      | % REC Limits |         |          |              |     |         |
| Tetrachloro-m-xylene            | 60.4       |        |      | 50-125       |         |          | 6/9/11 17:33 |     |         |

# ANALYTICAL RESULTS

Project Location: Town of Bolton High School

Date Received: 6/3/2011

Field Sample #: 6-3-JW-04

Sample ID: 11F0089-04

Sample Matrix: Air

Sampled: 6/3/2011 00:00

Sample Description/Location: Blank

Sub Description/Location:

Flow Controller ID:

Sample Type:

Work Order: 11F0089

## TO-10A/EPA 680 Modified

| Analyte                         | Total µg |        | Flag | Dilution | Date/Time    | Analyst |
|---------------------------------|----------|--------|------|----------|--------------|---------|
|                                 | Results  | RL     |      |          | Analyzed     |         |
| Monochlorobiphenyls             | ND       | 0.0020 |      | 1        | 6/9/11 18:14 | CJM     |
| Dichlorobiphenyls               | ND       | 0.0020 |      | 1        | 6/9/11 18:14 | CJM     |
| Trichlorobiphenyls              | ND       | 0.0020 |      | 1        | 6/9/11 18:14 | CJM     |
| Tetrachlorobiphenyls            | ND       | 0.0040 |      | 1        | 6/9/11 18:14 | CJM     |
| Pentachlorobiphenyls            | ND       | 0.0040 |      | 1        | 6/9/11 18:14 | CJM     |
| Hexachlorobiphenyls             | ND       | 0.0040 |      | 1        | 6/9/11 18:14 | CJM     |
| Heptachlorobiphenyls            | ND       | 0.0060 |      | 1        | 6/9/11 18:14 | CJM     |
| Octachlorobiphenyls             | ND       | 0.0060 |      | 1        | 6/9/11 18:14 | CJM     |
| Nonachlorobiphenyls             | ND       | 0.010  |      | 1        | 6/9/11 18:14 | CJM     |
| Decachlorobiphenyl              | ND       | 0.010  |      | 1        | 6/9/11 18:14 | CJM     |
| Total Polychlorinated biphenyls | 0.0      |        |      | 1        | 6/9/11 18:14 | CJM     |

| Surrogates           | % Recovery | % REC Limits |              |
|----------------------|------------|--------------|--------------|
| Tetrachloro-m-xylene | 72.9       | 50-125       | 6/9/11 18:14 |

### Sample Extraction Data

Prep Method: SW-846 3540C-TO-10A/EPA 680 Modified

| Lab Number [Field ID]  | Batch   | Initial [Cartridge | Final [mL] | Date     |
|------------------------|---------|--------------------|------------|----------|
| 11F0089-01 [6-3-JW-01] | B031616 | 1.00               | 0.400      | 06/07/11 |
| 11F0089-02 [6-3-JW-02] | B031616 | 1.00               | 1.00       | 06/07/11 |
| 11F0089-03 [6-3-JW-03] | B031616 | 1.00               | 1.00       | 06/07/11 |
| 11F0089-04 [6-3-JW-04] | B031616 | 1.00               | 1.00       | 06/07/11 |



# QUALITY CONTROL

## PCB Homologues by GC/MS - Quality Control

| Analyte | Total µg |    | ug/m3   |    | Spike Level | Source | %REC | %REC   | RPD | RPD   | Flag |
|---------|----------|----|---------|----|-------------|--------|------|--------|-----|-------|------|
|         | Results  | RL | Results | RL | Total µg    | Result | %REC | Limits | RPD | Limit |      |

### Batch B031616 - SW-846 3540C

#### Blank (B031616-BLK1)

Prepared: 06/07/11 Analyzed: 06/09/11

|                                 |        |        |  |  |       |  |      |          |  |  |      |
|---------------------------------|--------|--------|--|--|-------|--|------|----------|--|--|------|
| Monochlorobiphenyls             | ND     | 0.0020 |  |  |       |  |      |          |  |  |      |
| Dichlorobiphenyls               | ND     | 0.0020 |  |  |       |  |      |          |  |  |      |
| Trichlorobiphenyls              | ND     | 0.0020 |  |  |       |  |      |          |  |  |      |
| Tetrachlorobiphenyls            | ND     | 0.0040 |  |  |       |  |      |          |  |  |      |
| Pentachlorobiphenyls            | ND     | 0.0040 |  |  |       |  |      |          |  |  |      |
| Hexachlorobiphenyls             | ND     | 0.0040 |  |  |       |  |      |          |  |  |      |
| Heptachlorobiphenyls            | ND     | 0.0060 |  |  |       |  |      |          |  |  |      |
| Octachlorobiphenyls             | ND     | 0.0060 |  |  |       |  |      |          |  |  |      |
| Nonachlorobiphenyls             | ND     | 0.010  |  |  |       |  |      |          |  |  |      |
| Decachlorobiphenyl              | ND     | 0.010  |  |  |       |  |      |          |  |  |      |
| Total Polychlorinated biphenyls | 0.0    |        |  |  |       |  |      |          |  |  |      |
| Surrogate: Tetrachloro-m-xylene | 0.0934 |        |  |  | 0.200 |  | 46.7 | * 50-125 |  |  | S-20 |

#### LCS (B031616-BS1)

Prepared: 06/07/11 Analyzed: 06/09/11

|                                 |       |        |  |  |       |  |      |        |  |  |  |
|---------------------------------|-------|--------|--|--|-------|--|------|--------|--|--|--|
| Monochlorobiphenyls             | 0.13  | 0.0020 |  |  | 0.200 |  | 66.1 | 40-140 |  |  |  |
| Dichlorobiphenyls               | 0.14  | 0.0020 |  |  | 0.200 |  | 71.3 | 40-140 |  |  |  |
| Trichlorobiphenyls              | 0.16  | 0.0020 |  |  | 0.200 |  | 80.3 | 40-140 |  |  |  |
| Tetrachlorobiphenyls            | 0.32  | 0.0040 |  |  | 0.400 |  | 80.2 | 40-140 |  |  |  |
| Pentachlorobiphenyls            | 0.33  | 0.0040 |  |  | 0.400 |  | 83.6 | 40-140 |  |  |  |
| Hexachlorobiphenyls             | 0.32  | 0.0040 |  |  | 0.400 |  | 79.2 | 40-140 |  |  |  |
| Heptachlorobiphenyls            | 0.48  | 0.0060 |  |  | 0.600 |  | 80.7 | 40-140 |  |  |  |
| Octachlorobiphenyls             | 0.48  | 0.0060 |  |  | 0.600 |  | 79.6 | 40-140 |  |  |  |
| Nonachlorobiphenyls             | 0.19  | 0.010  |  |  | 0.200 |  | 97.1 | 40-140 |  |  |  |
| Decachlorobiphenyl              | 0.68  | 0.010  |  |  | 1.00  |  | 67.8 | 40-140 |  |  |  |
| Surrogate: Tetrachloro-m-xylene | 0.129 |        |  |  | 0.200 |  | 64.5 | 50-125 |  |  |  |

#### LCS Dup (B031616-BSD1)

Prepared: 06/07/11 Analyzed: 06/09/11

|                                 |       |        |  |  |       |  |      |        |       |     |  |
|---------------------------------|-------|--------|--|--|-------|--|------|--------|-------|-----|--|
| Monochlorobiphenyls             | 0.13  | 0.0020 |  |  | 0.200 |  | 66.0 | 40-140 | 0.121 | 200 |  |
| Dichlorobiphenyls               | 0.15  | 0.0020 |  |  | 0.200 |  | 74.7 | 40-140 | 4.73  | 200 |  |
| Trichlorobiphenyls              | 0.17  | 0.0020 |  |  | 0.200 |  | 85.5 | 40-140 | 6.24  | 200 |  |
| Tetrachlorobiphenyls            | 0.33  | 0.0040 |  |  | 0.400 |  | 83.5 | 40-140 | 3.97  | 200 |  |
| Pentachlorobiphenyls            | 0.36  | 0.0040 |  |  | 0.400 |  | 89.4 | 40-140 | 6.66  | 200 |  |
| Hexachlorobiphenyls             | 0.33  | 0.0040 |  |  | 0.400 |  | 83.6 | 40-140 | 5.38  | 200 |  |
| Heptachlorobiphenyls            | 0.50  | 0.0060 |  |  | 0.600 |  | 83.9 | 40-140 | 3.91  | 200 |  |
| Octachlorobiphenyls             | 0.47  | 0.0060 |  |  | 0.600 |  | 78.7 | 40-140 | 1.13  | 200 |  |
| Nonachlorobiphenyls             | 0.19  | 0.010  |  |  | 0.200 |  | 94.8 | 40-140 | 2.37  | 200 |  |
| Decachlorobiphenyl              | 0.68  | 0.010  |  |  | 1.00  |  | 68.5 | 40-140 | 0.986 | 200 |  |
| Surrogate: Tetrachloro-m-xylene | 0.128 |        |  |  | 0.200 |  | 64.0 | 50-125 |       |     |  |

**FLAG/QUALIFIER SUMMARY**

|      |  |
|------|--|
| *    | QC result is outside of established limits.  |
| †    | Wide recovery limits established for difficult compound.   |
| ‡    | Wide RPD limits established for difficult compound.  |
| #    | Data exceeded client recommended or regulatory level   |
|      | Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded. |
| S-20 | Surrogate recovery is outside of control limits. Sample media does not allow for re-extraction.  |

**CERTIFICATIONS****Certified Analyses included in this Report**

| Analyte | Certifications |
|---------|----------------|
|---------|----------------|

***TO-10A/EPA 680 Modified in Air***

|                                 |      |
|---------------------------------|------|
| Total Polychlorinated biphenyls | AIHA |
|---------------------------------|------|

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

| Code | Description                                  | Number        | Expires    |
|------|--|---------------|------------|
| AIHA | American Industrial Hygiene Association      | 100033        | 01/1/2012  |
| MA   | Massachusetts DEP                            | M-MA100       | 06/30/2011 |
| CT   | Connecticut Department of Public Health      | PH-0567       | 09/30/2011 |
| NY   | New York State Department of Health          | 10899 NELAP   | 04/1/2012  |
| NH   | New Hampshire Environmental Lab              | 2516 NELAP    | 02/5/2012  |
| RI   | Rhode Island Department of Health            | LAO00112      | 12/30/2011 |
| NC   | North Carolina Div. of Water Quality         | 652           | 12/31/2011 |
| NJ   | New Jersey DEP                               | MA007 NELAP   | 06/30/2012 |
| FL   | Florida Department of Health                 | E871027 NELAP | 06/30/2011 |
| VT   | Vermont Department of Health Lead Laboratory | LL015036      | 07/30/2011 |
| WA   | State of Washington Department of Ecology    | C2065         | 02/23/2012 |



Phone: 413-525-2332  
Fax: 413-525-6405  
Email: info@contestlabs.com  
www.contestlabs.com

# AIR SAMPLE CHAIN OF CUSTODY

39 SPRUCE ST  
EAST LONGMEADOW, MA 01028

Company Name: Eagle Environmental Inc.  
Address: 531 N. Main St.  
Bristol, CT. 06010

Attention: Ashis Raychowdhury

Project Location: Town of Bolton - Bolton High School  
Sampled By: James Webb

Proposal Provided? (For Billing purposes)

☐ yes ☐ no proposal date

Telephone: (860) 589-8257  
Project # 11-082.10  
Client PO #

DATA DELIVERY (check one):  
☒ FAX ☐ EMAIL ☐ WEBSITE CLIENT

Fax #  
Email: James Webb  
Format: ☒ EXCEL ☐ PDF ☐ GIS KEY ☐ OTHER

ANALYSIS REQUESTED  
TO-10A, EPA 8082  
680 Homolog  
GC/MS

Please fill out completely, sign, date and retain the yellow copy for your record.  
Summa canisters and flow controllers must be returned within 14 days of receipt or rental fees will apply.  
Summa canisters will be retained for a minimum of 14 days after sampling date prior to cleaning.

| Field ID | Sample Description            | Media | Lab # | Date   | Stop    | Total | Flow Rate | Volume | Matrix | Code | "Hg | Flow Controller |
|----------|-------------------------------|-------|-------|--------|---------|-------|-----------|--------|--------|------|-----|-----------------|
| 63-JW-01 | In the gymnasium              | PuF   | -01   | 6/3/11 | 2:41 pm | 484   | 5 L/min   | 2420   | AMB    | X    |     |                 |
| 02       | Hallway outside the gymnasium | PuF   | -02   | 6/4/11 | 2:44 pm | 483   | 5 L/min   | 2415   | AMB    | X    |     |                 |
| 03       | In the corner library         | PuF   | -03   | 6/4/11 | 2:49 pm | 481   | 5 L/min   | 2405   | AMB    | X    |     |                 |
| 04       | Blank                         | PuF   | -04   |        |         |       |           |        | BL     |      |     |                 |

Laboratory Comments:

CLIENT COMMENTS:

5 Day Turnaround

Relinquished by: (signature) [Signature] Date/Time: 6-3-11/3:50 pm  
Turnaround \*\*  
☐ 7-Day  
☐ 10-Day  
☒ Other 5 RUSH \* day  
Regulations: ☐ Data Enhancement/RCP? ☐ Y ☐ N  
Enhanced Data Package ☐ Y ☐ N  
Required Detection Limits: ☐ \*24-Hr ☐ \*48-Hr  
☐ \*72-Hr ☐ \*4-Day  
Other: ☐ \*Matrix Code: SG= SOIL GAS  
IA= INDOOR AIR  
AMB= AMBIENT  
SS= SUB SLAB  
D= DUP  
BL= BLANK  
O= other

Received by: (signature) [Signature] Date/Time: 6/3/11 3:50 pm  
Relinquished by: (signature) [Signature] Date/Time: 6/3/11 16:42  
Date/Time: 6/3/11 16:42  
Approval Required  
\*Turnaround Time Starts at 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WB/DBE Certified

39 Spruce St.  
East Longmeadow, MA. 01028  
P: 413-525-2332  
F: 413-525-6405  
www.contestlabs.com



## Sample Receipt Checklist

CLIENT NAME: Eagle Environmental RECEIVED BY: CB DATE: 6/

1) Was the chain(s) of custody relinquished and signed? Yes No No CoC Included

2) Does the chain agree with the samples? Yes No  
If not, explain:

3) Are all the samples in good condition? Yes No  
If not, explain:

4) How were the samples received:

On Ice ☐ Direct from Sampling ☒ Ambient ☐ In Cooler(s) ☐

Were the samples received in Temperature Compliance of (2-6°C)? Yes No N/A

Temperature °C by Temp blank \_\_\_\_\_ Temperature °C by Temp gun 22.1°C

5) Are there Dissolved samples for the lab to filter? Yes No

Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

6) Are there any RUSH or SHORT HOLDING TIME samples? Yes No

Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

7) Location where samples are stored:

19

Permission to subcontract samples? Yes No  
(Walk-in clients only) if not already approved

Client Signature: \_\_\_\_\_

### Containers received at Con-Test

|                                | # of containers |                       | # of containers |
|--------------------------------|-----------------|-----------------------|-----------------|
| 1 Liter Amber                  |                 | 8 oz amber/clear jar  |                 |
| 500 mL Amber                   |                 | 4 oz amber/clear jar  |                 |
| 250 mL Amber (8oz amber)       |                 | 2 oz amber/clear jar  |                 |
| 1 Liter Plastic                |                 | Air Cassette          |                 |
| 500 mL Plastic                 |                 | Hg/Hopcalite Tube     |                 |
| 250 mL plastic                 |                 | Plastic Bag / Ziploc  |                 |
| 40 mL Vial - type listed below |                 | PM 2.5 / PM 10        |                 |
| Colisure / bacteria bottle     |                 | PUF Cartridge         | <u>4</u>        |
| Dissolved Oxygen bottle        |                 | SOC Kit               |                 |
| Encore                         |                 | TO-17 Tubes           |                 |
| Flashpoint bottle              |                 | Non-ConTest Container |                 |
| Perchlorate Kit                |                 | Other glass jar       |                 |
| Other                          |                 | Other                 |                 |

Laboratory Comments:

40 mL vials: # HCl \_\_\_\_\_ # Methanol \_\_\_\_\_  
# Bisulfate \_\_\_\_\_ # DI Water \_\_\_\_\_  
# Thiosulfate \_\_\_\_\_ Unpreserved \_\_\_\_\_

Time and Date Frozen:

Do all samples have the proper Acid pH: Yes No N/A

Do all samples have the proper Base pH: Yes No N/A

Doc# 277

Rev. 1 May

Page 13 of 13